



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

**CHRYSLER MITSUBISHI 4CYL**

**PART NO**

**SIGMA SCORPION**

L200 Ute, 2 & 4WD  
2 & 2.6 Ltr. Astron Motor

**A 342**

**TRITON UTE 83-96**

Astron Motor 2 & 4 WD

**A 342**

**PAJERO 4WD. NA - NG**

2 & 2.6 Ltr. Astron Motor  
4G54. 1981 - 1993

**A 342**

**mitsubishi L300**

2 & 4WD Sirius Motor

**A 343**

**MITSUBISH L300 EFI**

87 to 96 SWB oxy sensor cat

Will not fit oval ports (9 studs)

**AVAILABLE IN STAINLESS STEEL**

**A 341i**

**A 341iSS**

**MITSUBISH L300**

87 to 96 SWB with EGR fitting

Will not fit oval ports (9 studs)

**A 341E**

**MITSUBISH L200**

4WD Sirius Motor

**A 344**

**MITSUBISHI L200**

2WD Sirius Motor

**A 345**

**MITSUBISH LANCER**

CA- CB- CC. 88 to 2003  
1.5 S.O.H.C. 4G15 Eng

Also fits CE carby models  
( Needs 30mm EGR fitting A341EGR)

**A 108**

**MITSUBISH LANCER**

92-04 1.8.S.O.H.C. 4G93 Eng.

**A 109**

**MITSUBISH MIRAGE**

96 on  
1.5 S.O.H.C. 4G15 Eng

**A 108**

**MAGNA TM-TN-TP-TR-TS**

Unleaded fuel injected and  
Leaded carby models

**A 346i**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

**CHRYSLER MITSUBISHI 6CYL**

**PART NO**

<b>VALIANT VG - CM</b> Hemi Motor	Will Not fit Torque Flite Auto	<b>A 144</b>
<b>MAGNA V6 3 &amp; 3.5 litre</b> TE-TF-TH-TJ 96 on		<b>A 347</b>
<b>ALLWHEEL DRIVE</b> TL-TW	This does not have a Y piece	<b>A 347A</b>
<b>CHALLENGER</b> 4WD 24 valve 6G72 eng. 98-2006	Models with EGR Fitting use <b>A348E</b>	<b>A 348</b>
<b>TRITON V6 MK 3 litre</b> 4WD 24 valve 6G72 eng. 96-2005	Models with EGR Fitting use <b>A348E</b>	<b>A 348</b>
<b>PAJERO 3 Litre V6</b> NF-NG-NH. 88-93 6G72 eng	6 stud heads	<b>A 340</b>
<b>PAJERO V6 NK-NL</b> SOHC 3.5 litre 6G74 Round Port 97-2000	Cat is on R/H side of vehicle	<b>A 349</b>
<b>PAJERO V6 NM-NP</b> SOHC 3.5 & 3.8 Litre Round Port 2000-2005	Cat is on L/H side of vehicle	<b>A 349L</b>
<b>JEEP CHEROKEE</b> 4 Litre EFI. 94 on	Mild steel has 1 year warranty <b>STAINLESS STEEL</b>	<b>A 145</b> <b>A 145SS</b>
<b>GRAND CHEROKEE</b> 4 Litre EFI. 96 on	Mild steel has 1 year warranty <b>STAINLESS STEEL</b>	<b>A 145</b> <b>A 145SS</b>
<b>JEEP WRANGLER</b> 4 Litre EFI. 96 on	Need to reposition exhaust system around bellhousing <b>STAINLESS STEEL</b>	<b>A 145</b> <b>A 145S</b>

**DAIHATSU 4CYL**

<b>DAIHATSU CHARADE</b> 93 on 1300-1500 S.O.H.C.	Header is fitted with flex joint	<b>A 616</b>
---	----------------------------------	--------------



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### FORD 4 CYL

### PART NO

<b>ESCORT</b> Mark 2 & <b>RS 2000</b> 2 Litre	Also fits Escort Mark 1 with 2 litre eng	<b>A 219</b>
<b>CORTINA TC – TD.</b> 2 Litre		<b>A 219</b>
<b>CORSAIR</b> 89-92 F.W.D CA.20E Engine 2 Litre		<b>A 475</b>
<b>CORSAIR UA</b> 89-92 KA24 eng. F.W.D.2.4 Litre		<b>A 476</b>
<b>COURIER</b> 1986-90 PC 2 & 4WD Mitsubishi Astron eng. 8 valve carby		<b>A 342</b>
<b>COURIER</b> 90-99. 2 & 4WD 2.6 Lt. SOHC. 12 valve G6 eng.		<b>A 477</b>
<b>RAIDER</b> 91-96. 4 WD 2.6 Lt. SOHC. 12 valve G6 eng.		<b>A 477</b>

### FORD 6 CYL

<b>CORTINA TC - TD</b> 200 - 250 & 2V Motors	Manual clutch cable models use Part No <b>A 153</b>	<b>A 152</b>
<b>CORTINA TD</b> X Flow		<b>A 392S</b>
<b>CORTINA TE - TF</b> X Flow, Cast & Alloy Heads		<b>A 392</b>
<b>FALCON XR - XB</b> 200 - 250 & 2V Motors		<b>A 152</b>
<b>FALCON XC - XF</b> X Flow, Cast & Alloy	XF models use EGR Adaptor A492AD Also fits Ford <b>TRANSIT VAN</b>	<b>A 492</b>
<b>FALCON XE - XF</b> E.F.I & Catalytic Convertor	<b>STAINLESS STEEL</b> XF use E.G.R Adaptor A492AD	<b>A 492SS</b>
<b>FALCON XF</b> Carby Models with Catalytic Convertor	<b>STAINLES STEEL</b> Use E.G.R Adaptor A492AD	<b>A492CSS</b>
<b>FALCON EA - AU.</b> <b>Longreach Ute XG-XH</b> 3.9 & 4 Litre		<b>A 692</b>
<b>FALCON BA-BF</b> 4 Litre DOHC	<b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 692SS</b>
<b>FORD TERRITORY</b> <b>RVT. Ute. XR6</b>	<b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 693</b> <b>A 693SS</b>



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### FORD 6 CYL

### PART NO

#### **BRONCO & F100-F350**

2WD & 4WD X Flow,  
Cast & Alloy Heads

**A 492**

#### **FORD MAVERICK**

4.2 Litre PETROL 87-96  
4.2 Litre DIESEL

This fits carby & EFI models

**A 295i**

### FORD V8

#### **FALCON XM - XP & ZEPHYR**

289 - 302 Windsor

Will not fit manuals

**A 53**

#### **FALCON XR - XY**

289 - 302 Windsor

Fits Ram type power steering

**A 54**

#### **FALCON XR - XY**

351 Windsor

Fits Ram type power steering

**A 56**

#### **MUSTANG 64 1/2 - 66 COMPACT FAIRLANE**

62 - 65  
Windsor 289-302

Fits hydraulic manual & auto  
L/H Drive models use Part No **A55L** (auto only)  
Will not fit mechanical clutch

**A 55**

#### **FALCON & FAIRLANE**

XR - XF Cleveland 2V  
302 & 351 Small Port

Column change manual linkages  
must be modified.  
(XR-XY use slip joint model)

**A 250**

#### **FALCON & FAIRLANE**

XR - XF Cleveland 4V  
351 Big Port

**A 350**

#### **FALCON EB-ED-EF-EL**

5 Litre EFI. Windsor motor

Will fit GT40 heads with right angled  
plug leads

**A 60**

#### **FALCON AU & XR8**

5 Litre EFI. Windsor motor

**A 62**

#### **FALCON BA 5.4 Litre**

3 Valve SOHC

**A 63**

#### **FALCON XR8 & GT 5.4 Litre**

4 Valve Boss Motor

**A 64**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### G.M.H. 4CYL

### PART NO

**HOLDEN GEMINI**  
1600 - 2 Litre up to 1984

**A 440**

**HOLDEN RODEO &  
JACKAROO**  
1800 - 2 Litre

**A 440**

**HOLDEN SHUTTLE**  
1800cc

**A 440**

**HOLDEN RODEO &  
JACKAROO 2.3 Carby**  
with E.G.R. fitting 85-93

**A 442C**

**HOLDEN RODEO &  
JACKAROO 2.6 E.F.I.**  
88-99

Holes must be drilled on models fitted  
with oxygen sensors prior to fitting  
**AVAILABLE IN STAINLESS STEEL**

**A 442i**

**A 442iSS**

**ASTRA LB 84-85**  
1.5Ltr FWD. E15 eng.

**A 22**

**ASTRA LC/LD 86-89**  
1.6 & 1.8 Litre

**A 26**

**NOVA 89-94**  
1.6 & 1.8 Carby & EFI.  
4 AFE-7AFE eng. D.O.H.C.

Carby models use Part No **A106C**

**A 106**

### G.M.H. 6CYL

**ENGINE SWAP**  
**FX-EJ** Red motor

**A 85**

**HOLDEN HD - HG**  
(Red Motor)

Specially made to suit Powerglide Autos

**A 84**

**HOLDEN EH - HJ**  
**TORANA LC - LX**  
**BEDFORD VAN**  
(Red Motor)

Will Not fit Hydromatic or Powerglide

**A 85**

**HOLDEN HX - HZ**  
**TORANA LX - UC**  
**COMMODORE VB**

**A 85HB**

**ENGINE SWAP**  
**TORANA LC-UC**  
(Blue & Black Motors)

**A 85B**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### G.M.H. 6CYL

### PART NO.

<b>COMMODORE VC - VK HOLDEN WB</b> (Blue & Black Motors)	If fitted with Delco Air Conditioner use part No <b>A85B</b> Available without Hot Box fittings	<b>A 213</b> <b>A 213NHB</b>
<b>COMMODORE VK</b> (Fuel Injected)	<b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 213i</b> <b>A 213iSS</b>
<b>COMMODORE VL</b> (Nissan Motor)	<b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 216</b> <b>A 216SS</b>
<b>COMMODORE VN-VP-VR</b> 3.8 Litre V6	Will not fit variable speed rack <b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 218</b> <b>A 218SS</b>
<b>COMMODORE VS</b> Ecotec 3.8 Litre V6	Will not fit variable speed rack Hydraulic manuals use part number Will not fit clutch cable manual <b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 228</b> <b>A 228M</b> <b>A 228SS</b>
<b>COMMODORE VT-X-U-Y</b> Series 1 Ecotec 3.8 Litre V6	<b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 229</b> <b>A 229SS</b>
<b>COMMODORE VT-X-U-Y</b> Super charged 3.8 Litre V6		<b>A 229SC</b>
<b>COMMODORE VY Series 2</b> Ecotec 3.8 Litre V6	<b>AVAILABLE IN STAINLESS STEEL</b>	<b>A 229Y</b> <b>A 229YSS</b>
<b>COMMODORE VZ</b> Alloytec 3.6 Litre V6		<b>A 230</b>
<b>CREWMAN 2WD.</b> Alloytec 3.6 Litre V6		<b>A 230</b>
<b>COMMODORE VE</b> Alloytec 3.6 Litre V6	These fit up to cats in original position	<b>A 231</b>



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### G.M.H. V8

### PART NO

#### **TORANA LH - LX**

253 & 308 Motors

Fits Turbo 350 &400

**High Performance** also available

**A 413**

**A 413HP**

#### **HOLDEN HT -HG**

253 & 308 Motors

Column change auto linkages must be modified

**A 413**

#### **HOLDEN HQ - WB**

253 & 308 Motors

When fitting to Column change Trimatic use linkage kit **A 412L**

**A 412**

**High Performance** also available

**A 412HP**

#### **COMMODORE VB - VK**

253 & 308 Motors

Fits with Bosch high torque starter

**A 312**

#### **COMMODORE VB - VK**

253 & 308 Motors

High Performance Header

**A 312HP**

#### **COMMODORE VL**

253 & 308 Motors

High Performance Header

This Header connects to cat converter

**A 313**

#### **ENGINE SWAP**

#### **COMMODORE VB -VL**

Fitted with 5Litre E.F.I

This is a dual outlet header

**A 314D**

#### **COMMODORE VN - VS**

#### **STATESMAN. VQ.VR.VS.**

5 Litre Fuel Injected

Models with Variable speed rack use  
Models with variable speed rack & knock  
Sensor fitted on drivers side, must be relocated  
to passengers side (**STAINLESS STEEL**)

**A 314**

**A 314V**

**A 314SS**

#### **COMMODORE VT**

5 Litre Fuel Injected

**AVAILABLE IN STAINLESS STEEL**

**A 315**

**A 315SS**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

## G.M.H. V8

## PART NO

### **COMMODORE VT-X-U-Y**

**MONARO 5.7 Gen 111**  
6 litre LS2

**AVAILABLE IN STAINLESS STEEL**  
**AVAILABLE WITH 2" SECONDARYS**

**A 316**  
**A 316SS**  
**A 317HP**

### **COMMODORE**

**VY Series 2 -VZ**

**STATESMAN. WK-WL**  
5.7 Gen 111 & 6 litre LS2

Must be fitted with new cat converters  
**AVAILABLE IN STAINLESS STEEL**  
**AVAILABLE WITH 2" SECONDARYS**  
Oxygen sensor extensions required  
on 6 litre models (**Part No OSER**)

**A 317**  
**A 317SS**  
**A 317HP**

### **COMMODORE VT-Z**

**MONARO 5.7 Gen 111**  
**WH-WL Statesman**  
6 litre LS2

These are a high performance header with  
1 3/4" primary's and 2" secondary's  
VZ models cats need to be repositioned  
6 Ltr needs 2 oxygen sensors extensions **OSER**

**A 317X**

### **COMMODORE VT-VZ**

**MONARO 5.7 Gen 111**  
**WH-WL Statesman**  
**TUNED** 6 litre LS2

Mandrel bent 1 5/8" pipe tuned length 21/2" outlet  
VY series II - VZ needs 2 oxy sensors  
extensions **OSEF**  
6 Ltr needs 2 **Part No OSEF** & 2 **Part No. OSER**

**A 317T**

### **COMMODORE VT-VZ**

**MONARO 5.7 Gen 111**  
**WH-WL Statesman**  
**TUNED** 6 litre LS2

Mandrel bent 1 3/4" pipe tuned length 3" outlet  
VY series II - VZ needs 2 oxy sensors  
extensions **OSEF**  
6 Ltr needs 2 **Part No OSEF** & 2 **Part No. OSER**

**A 317TX**

### **HOLDEN CROSS 8**

**ADVENTRA AWD.**

**A 318**

### **COMMODORE VE**

6 litre LS2 & 6.2 LS3  
**STATESMAN. WM.**

These fit with cats in original position  
**AVAILABLE IN STAINLESS STEEL**

**A 319**  
**A 319SS**

### **COMMODORE VE**

6 litre LS2 & 6.2 LS3  
**STATESMAN. WM.**

These are a high performance header with  
1 3/4" primary's and 2" secondary's  
Cats need to be moved & an engine edit

**A 319HP**

### **CAT ASSEMBLIES**

**A316-A317-317T-A317X**  
VZ 6 Litre models

These are a 300 cell high flow metal cat with  
S/steel pipe work and a direct bolt up

**A 317CAT**  
**A 6CAT**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### HYUNDAI (4 CYL.)

### PART NO

**EXCEL 86-94**  
1.5 Litre SOHC.

**A 108**

**EXCEL 98 on + 1.5 S Coupe**  
1.5 Litre DOHC.

**A 702**

### LEXUS V8

**LEXUS LX470 V/8**  
98 – 06 2VZ eng DOHC

**A 290**

### MAZDA

**MAZDA B2600.** 88-94 (2&4 WD)  
2.6 Lt. SOHC. 12 valve  
G6 eng.

**A 477**

**MAZDA BRAVO.** 91 on (2 & 4 WD)  
G6 eng. 2.6 Litre SOHC

**A 477**

**MAZDA B2600** 86-88. 4WD. 2.6 petrol  
Mitsubishi Astron eng. 8 valve carburetor

**A 342**

### PROTON

**PROTON SAGA - WIRA**  
89-92. 1.5 Litre. SOHC.

**A 108**

**PROTON SATRIA**  
1.5 Lt. SOHC.

Needs slight modification around  
water outlet.

**A 108**

**PROTON PERSONA**  
1.5 Lt. 4G15 eng. SOHC

**A 108**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

**NISSAN**

**PART NO**

**PULSAR N10-N12. 80-85.**  
E13-E15 eng FWD.

**A 22**

**PRAIRIE 82-85**  
E13-E15 eng FWD

**A 22**

**PULSAR N13. 87-91**  
1.6 & 1.8 Litre

**A 26**

**PULSAR N14-N15.SSS**  
**NX COUPE**

**A 20**

SR20DE Eng. FWD

Models with EGR fittings use

**A 20E**

**SILVIA 91-93**  
SR20DE. Eng.

**A 24**

**PINTARA U12 89-92**  
CA 20 Eng. F.W.D. 2 Litre.

**A 475**

**PINTARA U12 89-92**  
KA24 eng. F.W.D.2.4 Litre

**A 476**

**NISSAN PATROL MQ**  
L28 Engine  
2.8 Litre Petrol

**A 280**

**NISSAN SKYLINE**  
R31 & RB30 Eng 86 to 91

Engine Studs & Nuts available **STD 216**

**A 217**

**NISSAN 300 ZX**  
89-96 Z32

**A 300**

**DATSUN 240Z-260Z-**  
**280ZX EFI**

**A 281**

**NISSAN PATROL GQ-GU**  
4.2 & 4.5 Litre Petrol & Diesel

This fits carby & EFI. models

**A 295i**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

**TOYOTA 4CYL**

**PART NO**

**HILUX & 4 RUNNER**

2.2, 2.4, 2.8 & 3 litre Diesel  
L, 2L, 3L. 5L. eng. 4WD

Will fit 2 W.D. with slight  
modification to outlet

**A 243**

**HIACE 80-89 LH20-30-50-51**

2 & 2.4 Litre Diesel L & 2L eng

**A 243**

**HILUX 4 WD.**

2.7 EFI Petrol DOHC.3RZ eng.  
97 - 08

**A 244**

**HILUX 2 WD.**

2.7 EFI Petrol DOHC.3RZ eng.  
97 - 08

**A 245**

**PRADO**

2.7 EFI Petrol DOHC.3RZ eng.  
96 - 2003

**A 245**

**COROLLA AE90-92-93-101 FWD**

**AE95. 4WD Wagon**

1.6 Lt. 4AFE & 6AF 7AFE eng.  
DOHC. 89-96

Carby models use Part No **A106C**

**A 106**

**COROLLA SECA AE90-101-102**

1.6 Lt. 4AFE & 6AF + 1.8 Lt. 7AFE  
DOHC. FWD.

Carby models use Part No **A106C**

**A 106**

**COROLLA AE90-92-93-95-101-102** Single engine pipe models Only  
**MANIFOLD REPLACEMENT**

**A 106MR**



16 Braeside Avenue  
Holden Hill SA 5088  
Ph: (08) 8396 2598  
Fax: (08) 8395 0010

### TOYOTA 6CYL

### PART NO

<b>LANDCRUISER</b> F155 Motor 1968 - 1975 FJ40, FJ45, FJ55.	Will Not fit with P.T.O. Winch	<b>A 200</b>
<b>LANDCRUISER</b> 2F Motor 1975 - Aug.80 FJ40, FJ45, FJ55	Will Not fit with P.T.O Winch	<b>A 200HB</b>
<b>LANDCRUISER</b> 2F Motor Aug..80 - Oct.84 FJ60 Inside Chassis.	<b>Will fit</b> Over chassi models  Will Not fit with P.T.O Winch	<b>A 220HB</b>
<b>LANDCRUISER</b> 3F Motor Nov.84 to 90. FJ62, FJ73, FJ75,FJ80. Inside Chassis.	<b>Will fit</b> Outside chassi models  Will Not fit with P.T.O Winch	<b>A 205HB</b>
<b>LANDCRUISER</b> 2H Diesel, 4 litre Inside Chassis HJ45, HJ47, HJ60, HJ75	Will Not fit with P.T.O Winch	<b>A 232</b>
<b>LANDCRUISER</b> 1 HZ Diesel HZJ75-78-79	This header is fitted with a Flex Joint	<b>A 265</b>
<b>LANDCRUISER</b> 1 HZ Diesel HZJ80	This header is fitted with a Flex Joint	<b>A 275</b>
<b>LANDCRUISER</b> 1 HZ Diesel HZJ 100-105		<b>A 285</b>
<b>LANDCRUISER 80 Series</b> 4.5 DOHC. 1FZFE. eng Outside chassi		<b>A 210</b>
<b>LANDCRUISER 100 Series</b> 4.5 DOHC. 1FZFE. eng		<b>A 215</b>
<b>HILUX V6. 4 Litre</b> 1GR-FE eng. 04 on 2 & 4WD	Stainless Steel Only	<b>A 212SS</b>

### TOYOTA V8

<b>LANDCRUISER V8</b> 4.7 DOHC. 100 Series		<b>A 290</b>
---	--	--------------